



**TAMKO**<sup>®</sup>

**BUILDING PRODUCTS**

tamko.com

# HERITAGE<sup>®</sup> IR

LAMINATED ASPHALT SHINGLES

Wood-shake beauty. Reinforced construction.



Tested to meet  
UL 2218 Class 4  
impact resistance<sup>1</sup>.

# ADD UL 2218 CLASS 4 IMPACT RESISTANCE WITH THE BEAUTY OF HERITAGE®.




## Introducing Heritage® IR shingles.

Featuring a fiberglass mat and a non-woven polyester fabric reinforcement, Heritage® IR shingles take roofing protection to new heights. Their enhanced construction enables the shingles to withstand the impact of a 2" steel ball dropped from a height of 20' at the time of manufacture—the testing standard of the UL 2218 Class 4 impact resistance rating<sup>1</sup>.


Installing Heritage IR shingles may qualify you for a reduction in homeowner insurance in some states. Talk to your insurance agent before your purchase to see if you qualify.



How tough are Heritage IR shingles? Watch the video at [tamko.com/HeritageIR](http://tamko.com/HeritageIR) to discover their UL 2218 Class 4 impact resistance for yourself.



Heritage IR shingles feature a non-woven polyester fabric reinforcement on the back, with additional strength achieved by a fine pattern of thermally bonded polyester fibers throughout.



## Better-Than-“Lifetime” Limited Warranty



All Heritage® shingles come with a Better-Than-“Lifetime” Limited Warranty from TAMKO®. Offering more up-front protection, which covers both material replacement and labor costs, is what sets TAMKO apart. To see the difference, visit [www.tamko.com/BetterThanLifetime](http://www.tamko.com/BetterThanLifetime) and read the Limited Warranty for complete details.

### HERITAGE® IR Shingles

Shingle Dimensions (Approximate)		
Heritage IR	39-3/8" x 13-1/4"	5-5/8" Exposure

- 30-year Limited Warranty<sup>2</sup>
- 15-year Full Start Protection Period
- UL listed for Class A Fire Resistance and come with our Algae Relief-Algae Cleaning Limited Warranty<sup>3</sup>
- 15-year Limited Warranty against damage from winds up to 110 mph<sup>4</sup>
- Meet ASTM D 3462 at the time of manufacture

1 Compliance testing for UL 2218 Class 4 impact resistance occurs in a laboratory setting and may not be equivalent to real-world exposure to weathering conditions, including hail storms. TAMKO does not warrant against damage by hail. See TAMKO's Limited Warranty for complete details.

2 To obtain a copy of TAMKO's Limited Warranty, visit us online at [tamko.com](http://tamko.com) or call us at 1-800-641-4691.

3 Provides for cleaning of discoloration caused by certain algae growth that may occur in areas with high humidity.

4 Heritage IR shingles are warranted up to 130 mph when installed using High Wind Application.

OLDE ENGLISH PEWTER





**WEATHERED WOOD**  
CLASSIC HERITAGE COLORS




**NATURAL TIMBER**  
AMERICA'S NATURAL COLORS

NOTE: TAMKO® RECOMMENDS VIEWING AN ACTUAL ROOF INSTALLATION PRIOR TO FINAL COLOR SELECTION FOR THE FULL IMPACT OF COLOR BLENDING AND PATTERNS. REPRODUCTION OF THESE COLORS IS AS ACCURATE AS OUR PRINTING WILL PERMIT.



**THUNDERSTORM GREY**  
AMERICA'S NATURAL COLORS



**RUSTIC BLACK**  
CLASSIC HERITAGE COLORS

NOTE: TAMKO® RECOMMENDS VIEWING AN ACTUAL ROOF INSTALLATION PRIOR TO FINAL COLOR SELECTION FOR THE FULL IMPACT OF COLOR BLENDING AND PATTERNS. REPRODUCTION OF THESE COLORS IS AS ACCURATE AS OUR PRINTING WILL PERMIT.



**OLDE ENGLISH PEWTER**  
CLASSIC HERITAGE COLORS



**RUSTIC SLATE**  
CLASSIC HERITAGE COLORS



**RUSTIC CEDAR**  
CLASSIC HERITAGE COLORS



- 1** Cements and Sealants
- 2** Underlayments
- 3** Ventilation
- 4** Ice and Rain Protective Underlayments
- 5** Shingle Starter
- 6** Hip & Ridge Shingles
- 7** Heritage® Shingle Options

## Be sure your home is protected in these critical areas.

Your roof consists of much more than just shingles. Underneath are several additional products all working to help protect your home from the elements. Choosing TAMKO® products will provide professional-grade performance to enhance roof protection and durability.

## Building products for the professional.



Since 1944, building professionals and homeowners have looked to TAMKO® for quality products built to perform. Our residential line also features Heritage® Vintage® Laminated Asphalt Shingles, Heritage® Premium and Heritage® Laminated Asphalt Shingles, Heritage® Woodgate® Laminated Asphalt Shingles, MetalWorks® Steel Shingles and 3-tab shingles. Additional residential offerings include EverGrain® and EverGrain® Envision® Composite Decking, Elements® DockBoard, Marquee™ Railing System, Tam-Rail® Railing System, waterproofing materials, ventilation products and asbestos-free cements and coatings. Each of these products delivers TAMKO quality, performance and durability.

**TAMKO**® P.O. Box 1404  
 Joplin, MO 64802-1404  
 1-800-641-4691  
 BUILDING PRODUCTS tamko.com

Dallas



NOTE: TAMKO RECOMMENDS VIEWING AN ACTUAL ROOF INSTALLATION PRIOR TO FINAL COLOR SELECTION FOR THE FULL IMPACT OF COLOR BLENDING AND PATTERNS. Certain colors and products may not be available in your area. Information included in this brochure was current at the time of printing. To obtain a copy of the most current version of this brochure, visit us online at tamko.com or call us at 1-800-641-4691.

Front cover roof color is Natural Timber.

©2013 TAMKO Building Products, Inc.

TAMKO, Heritage, America's Natural Colors, Vintage, Woodgate, MetalWorks, Tam-Rail, EverGrain, Envision and Elements are registered trademarks and Marquee is a trademark of TAMKO Building Products, Inc.

4100029